

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: Nonresponsive based on revised scope @westonsolutions.com; Nonresponsive based on revised scope @WestonSolutions.com]; Nonresponsive based on revised scope @epa.gov]; Nonresponsive based on revised scope @epa.gov]
From: Nonresponsive based on revised scope /O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817- Nonresponsive based on revised scope
Sent: Thur 12/19/2019 8:35:29 PM (UTC)
Subject: Case# 48539, SDG# C0AY7 - Validated Data for Shiloh Church Road Removal Site
[48539 C0AY7 ltr.pdf](#)
[48539 C0AY7 DVR.pdf](#)
[48539 C0AY7 SSR.pdf](#)
[EQuls 1 48539 C0AY7 VAL.xls](#)
[EQuls 2 48539 C0AY7 VAL.xls](#)
[EQuls 3 48539 C0AY7 VAL.xls](#)
[EQuls 48397 C0B07 VAL.xls](#)

Christine Wagner
US EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Removal Site, Case# 48539, SDG# C0AY7. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO, Nonresponsive based on revised scope or e-mail at Nonresponsive based on revised scope @epa.gov if additional assistance is needed.

TO # 0002 TDF # 1019074

Nonresponsive based on revised scope